Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1 -	2	(09/777,031)and (Little)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 07:46
L2	19	"709"/\$.ccls. and (microcontroller) and (single one) near5 (wire trace) near5 (bus)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 08:16
S1	2	(tak\$4) near5 (devic\$5) near5 (inventory) near10 (rack)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 08:02
\$2	23	(tak\$4) near15 (inventory) near10 (rack)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 08:06
S3	.7	(rack)near4 (mount) and (microcontroller) and (single double) near5 (wire trace) near5 (bus)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 08:08
S4	212	(microcontroller) and (single double) near5 (wire trace) near5 (bus)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 08:39
S5	1	(microcontroller) and (single double) near5 (wire trace) near5 (bus) and (remote) near5 (user administrator) near4 (interface monitor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 08:10
\$6	2	"6075441".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 09:59
S 7	2	"5801628".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;	OR	ON	2005/03/21 08:26
S8	388	(microcontroller) and (single one) near5 (wire trace) near5 (bus)	IBM_TDB US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/22 08:16
S9 ·	24	(microcontroller) and (single one) near5 (wire trace) near5 (bus) and (Rack)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 09:52

S10	0	(microconLAN) and (single one) near5 (wire trace) near5 (bus) and (Rack)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 10:21
S11	167	(single one) near5 (wire trace) near5 (bus) and (Rack)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 11:09
S12		"6826714".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 10:00
S13	0	("6826714").URPN.	USPAT	OR	ON	2005/03/21 10:01
S14	19	("20020038387" "20020044562" "20020046276" "20020054477" "20030051194" "5500940" "5819028" "5890214" "5966510" "6018809" "6122758" "6148418" "6188973" "6308289" "6510532" "6513074" "6532552" "6564276" "6629062").PN.	US-PGPUB; USPAT; USOCR	OR	ON ,	2005/03/21 10:01
S15	243	((microconLAN) (1near3 wire near3 net)) and (Rack)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;	OR	ON	2005/03/21 10:22
S16	249	((microLAN) (1near3 wire near3 net)) and (Rack)	IBM_TDB US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 10:38
S17	6	((microLAN) (S1 near3 wire near3 net)) and (Rack)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON.	2005/03/21 10:48
S18	91	((microLAN) (S1 near3 wire near3 net))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 10:37
S19	0	((S1 near3 wire near3 net)) and (network Rack) near5 (monitor\$5 manag\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 10:43
S20	95162	(network Rack) near5 (monitor\$5 manag\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 10:38
S21	613	(monitor\$5 manag\$5) near10 (rack) near10 (equipment drawer unit shelf shelves)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 10:59

S22	7	(microcontroller) and (single one) near5 (wire trace) near5 (bus) and S21	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;	OR	ON	2005/03/21 10:48
S23	0	((microLAN) (one near3 wire near3 net)) and S21	IBM_TDB US-PGPUB; USPAT; USOCR; EPO: JPO:	OR	ON	2005/03/21 10:49
	•		DERWENT; IBM_TDB			
S24	42	(monitor\$5 manag\$5) near10 (rack) near10 (equipment drawer unit shelf shelves) and (microcontroller)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 11:18
S25	10	(monitor\$5 manag\$5) near10 (rack) near10 (equipment drawer unit shelf shelves) and (rack) near3 (ID identifier) and (device shelf)near3 (ID identifier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;	OR	ON	2005/03/21 11:03
S26	2	"6075441".pn.	IBM_TDB US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 11:03
S27	171	(single one) near5 (wire trace) near5 (bus LAN) and (Rack)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT:	OR	ON	2005/03/21 14:05
S28	26	(single one) near5 (wire trace) near5 (bus LAN) and (Rack)and (microcontroller)	IBM_TDB US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 11:10
S29	371	(rack) near10 (equipment drawer unit shelf shelves) and (microcontroller)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB	OR	ON	2005/03/22 07:45
S30	3	"6714977".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 13:03
S31	54	("20020152298" "20030098789" "4747041" "4823290" "5086385" "5097328" "5109278" "5220522" "5229850" "5289275" "5553609" "5566339" "5581478" "5621662" "5732074" "5742762" "5798798" "5829130" "5926210" "5955946" "5991885" "6078253" "6108782" "6112235"	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/21 13:06
		"6115468" "6138249" "6139177" "6157943" "6170007" "6182094" "6189109" "6259956" "6266721" "6281790" "6311214" "6332202" "6360255" "6363421" "6363422" "6374296" "6375614" "6389464" "6396534" "6402691" "6477667" "6496105" "6505086" "6510350" "6529230" "6529936" "6553336" "6553418" "6591279" "6640145").				
S32	175	PN. (microcontroller) and (single one) near5 (wire) near5 (bus) and (bus) near5 (busy occup\$5 state status)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;	OR	ON	2005/03/21 13:50
	h History	2/22/05 9:22:46 AM Dogg 2	IBM_TDB	<u> </u>	L	<u> </u>

S33	15	(microcontroller) and (single one) near5 (wire) near5 (bus) and (bus) near5 (busy)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 13:15
S34	'1	(microcontroller) and (single one S1) near5 (wire) near5 (multi-drop) near5 (bus) and (indicat\$5) near5 bus near5 (status busy)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 13:52
S35		(microcontroller) and (single one S1) near5 (wire) near5 (multi-drop) near5 (bus)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 13:52
S36	1	(single one S1) near5 (wire) near5 (multi-drop) near5 (bus) and (indicat\$5) near5 bus near5 (status busy)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 13:55
S37	2032	(indicat\$5) near5 bus near5 (status busy)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 14:16
S38	14	(indicat\$5) near5 (microcontroller) near10 bus near5 (status busy)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB	OR	ON	2005/03/21 13:53
S39	0	(single one S1) near5 (wire) near5 (multi-drop) near5 (bus) and (Microcontroller) and (collect\$5 gather\$5 obtain\$5) near5 (devic\$5 server sensor) near5 (data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 13:57
S40	0	(single one S1) near5 (wire) near5 (multi-drop) near5 (bus) and (Microcontroller) and (collect\$5 gather\$5 obtain\$5) near5 (rack) near5 (data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB	OR	ON	2005/03/21 13:57
S41	0	(single one S1) near5 (wire) near5 (multi-drop) near5 (bus) and (Microcontroller) and (rack) near5 (data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 13:57
S42	0	(single one S1) near5 (wire) near5 (multi-drop) near5 (bus) and (rack) near5 (data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 13:57
S43	7	(single one S1) near5 (wire) near5 (multi-drop) near5 (bus) and (Microcontroller)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 14:01

S44	12	(single one S1) near5 (wire) near5 (multi-drop) near5 (bus)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 14:01
S45	7	(single one S1) near5 (wire) near5 (multi-drop) and (Microcontroller)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 14:01
S46	1	(single one S1) near5 (wire) near5 (multi-drop) and (rack)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 14:01
S47	13	(single one S1) near5 (wire) near5 (multi-drop)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 14:28
S48	0	(single one 1-wire) near5 (wire) near5 (multi-drop) same (IP TCP SMTP)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 14:09
S49	34	(single one) near5 (wire trace) near5 (bus LAN) same(IP TCP SMTP)	US-PGPUB; USPAT:	OR	ON	2005/03/21 14:28
			USOCR; EPO; JPO; DERWENT; IBM_TDB	20 4 - 1. 20 - 1.		
S50	13	(single one S1) near5 (wire) near5 (multi-drop)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 14:10
S51	4 1	(1-wire) near5 (multi-drop)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 14:10
S52	4	(one-wire) near5 (multi-drop)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 14:16
S53	0	(one-wire) near5 (indicat\$5) near5 (busy fail)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 14:16
S54	707	(indicat\$5) near5 bus near5 busy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 14:17

						
S55	146	(indicat\$5) near5 bus near5 busy same (controller)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 14:21
S56	0	(indicat\$5) near5 bus near5 busy same (controller) and (microLan)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 14:21
S57	268814	(single one) near5 (wire)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 14:28
S58	292	(single one S1) near5 (wire) near5 (protocol)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 14:33
\$59	6	(single one S1) near5 (wire) near5 (protocol) and (indicat\$5) near5 (busy)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 14:31
S60	0	(single one S1) near5 (wire) near5 (protocol) and (indicat\$5) near5 (bus) near5 (available)	US-PGPUB; USPAT; USOCR; EPO; JPO;	OR	ON	2005/03/21 14:32
	ng dinak		DERWENT; IBM_TDB			
S61		(single one S1) near5 (wire) near5 (protocol) and (indicat\$5) near5 (bus) near5 (unavailable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 14:33
S62	0	(single one S1) near5 (wire)near5 (indicat\$5) near5 (bus) near5 (status)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 14:32
S63	o	(single one S1) near5 (wire) near5 (protocol) near5 (indicat\$5) near5 (bus) near5 (unavailable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 14:33
S64	0	(single one S1) near5 (wire) near5 (protocol) near5 (indicat\$5) near5 (bus) near5 (status)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 14:33
S65	0	(single one S1) near5 (wire) near5 (protocol) near5 (indicat\$5) near5 (bus) near5 (configur\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 14:33

IEEE HOME I SEARCH IEEE I SHOP I WEB ACCOUNT I CONTACT IEEE



Membership Publica	ations/Services Standards Conferences Careers/Jobs
IEEE /	Welcome United States Patent and Trademark Office
Help FAQ Terms IEE	E Peer Review Quick Links Se
Welcome to IEEE Xplore* - Home - What Can I Access? - Log-out	Your search matched 0 of 1140634 documents. A maximum of 500 results are displayed, 15 to a page, sorted by Relevance Descending order. Refine This Search:
Tables of Contents	You may refine your search by editing the current search expression or enterinew one in the text box.
O- Journals & Magazines O- Conference	1 wire <and>multi drop ☐ Check to search within this result set</and>
Proceedings - Standards	Results Key: JNL = Journal or Magazine CNF = Conference STD = Standard
Search - By Author - Basic - Advanced - CrossRef	Results: No documents matched your query.
Member Services - Join IEEE - Establish IEEE - Web Account - Access the - IEEE Member - Digital Library	
IEEE Enterprise - Access the IEEE Enterprise File Cabinet	

Print Format

Home | Log-out | Journals | Conference Proceedings | Standards | Search by Author | Basic Search | Advanced Search | Join IEEE | Web Account |
New this week | OPAC Linking Information | Your Feedback | Technical Support | Email Alerting | No Robots Please | Release Notes | IEEE Online
Publications | Help | FAQ| Terms | Back to Top

Copyright © 2004 IEEE — All rights reserved

 $h \qquad eee \qquad e \ eee \quad g \ e \ ch \ e \ ch \ e$

- e c

е